*Biochimica et Biophysica Acta* 953 (1988) 365–367
Elsevier



# Author index

Agapow, P.-M. and Winzor, D.J.
Allowance for effects of electrostatic repulsion on protein dimerization (953) 197
Alvarez, M.A., see Sànchez, M. (953) 249
Andersson, K.K., see Haavik, J. (953) 142
Arai, K., Tominaga, H., Yokote, Y. and Narise, S.
The complete amino-acid sequence of cytoplasmic glycerol-3-phosphate dehydrogenase from *Drosophila virilis* (953) 6
Aronson, Jr., N.N., see Tollersrud, O.K. (953) 353
Ascoli, F., see Santucci, R. (953) 201

Balaña, R., see Sànchez, M. (953) 249
Balduyck, M., see Laroui, S. (953) 263
Balon, M.A., see Evans, D.R. (953) 185
Beloeil, J.-C., see Labeyrie, F. (953) 134
Berden, J.A., see Persson, B. (953) 241
Bessam, H., see Mareck, A.M. (953) 289
Bloxham, D.P., see Handford, P.A. (953) 232
Board, P.G., Suzuki, T. and Shaw, D.C.
Human muscle glutathione *S*-transferase (GST-4) shows close homology to human liver GST-1 (953) 214
Bonner, P.L.R., see Relton, J.M. (953) 48
Bos, O.J.M., Fischer, M.J.E., Wilting, J. and Janssen, L.H.M.
Drug-binding and other physicochemical properties of a large tryptic and a large peptic fragment of human serum albumin (953) 37

Carrea, G., see Pasta, P. (953) 314
Carvajal, N. and Kessi, E.
Kinetic mechanism of octopine dehydrogenase from the muscle of the sea mollusc, *Concholepas concholepas* (953) 14
Chu, E.H.Y., see Thomas, P.E. (953) 334
Clapés, P., Valencia, G., Torres, J.L., Reig, F., García-Antón, J.-M. and Mata-Alvarez, J.
Kinetic study of α-chymotrypsin-catalyzed synthesis of kyotorphin (953) 157
Constantinidis, I., see Santucci, R. (953) 201
Costadinova, Z., see Gantchev, T. (953) 218
Cuchillo, C.M., see Richardson, R.M. (953) 70

Davidson, M.W., see Gaul, D.F. (953) 226
Davis, R.L. and Robinson, J.D.
Substrate sites of the $(Na^+ + K^+)$-ATPase: pertinence of the adenine and fluorescein binding sites (953) 26
De Jong, L., see De Waal, A. (953) 20
Del Pozo, A.M., Gasset, M., Oñaderra, M. and Gavilanes, J.G.
Conformational study of the antitumor protein α-sarcin (953) 280
De Waal, A., Hartog, A.F. and De Jong, L.
Localisation and quantification of the 2-oxoglutarate binding sites of prolyl 4-hydroxylase by photoaffinity labelling with tritiated 5-azidopyridine-2-carboxylic acid (953) 20
Driedonks, R.A., Kan, J.H. and Walters, J.A.L.I.
A statistical thermodynamical model for the assembly of alfalfa mosaic virus (953) 119

Edmondson, D.E., see Williamson, G. (953) 258
Eisenberg, M., see Johnson, L.A. (953) 269
Evans, D.R. and Balon, M.A.
Controlled proteolysis of ammonia-dependent carbamoylphosphate synthetase I from syrian hamster liver (953) 185

Fischer, M.J.E., see Bos, O.J.M. (953) 37
Flatmark, T., see Haavik, J. (953) 142
Foucher, B., see Mareck, A.M. (953) 289
Freydina, N.A., see Shnyrov, V.L. (953) 128
Furuya, M., see Tokutomi, S. (953) 297

Ganeva, E., see Gantchev, T. (953) 218
Gantchev, T., Costadinova, Z. and Ganeva, E.
Comparative spin-label study of the dynamic structure of human hemoglobins A and F and the influence of the antibiotic, chloramphenicol (953) 218
García-Antón, J.-M., see Clapés, P. (953) 157
Garrido-Pertierra, A., see Sànchez, M. (953) 249
Gasset, M., see Del Pozo, A.M. (953) 280
Gaul, D.F., Davidson, M.W., Palmer, G., Shaw, R.W. and Knaff, D.B.
Spectroscopic and ligand-binding properties of an oxygen-binding heme protein from *Chromatium vinosum* (953) 226
Gavilanes, J.G., see Del Pozo, A.M. (953) 280

Haavik, J., Andersson, K.K., Petersson, L. and Flatmark, T.
Soluble tyrosine hydroxylase (tyrosine 3-monooxygenase) from bovine adrenal medulla: large-scale purification and physicochemical properties (953) 142
Hamamoto, I., Kurokohchi, K., Tanaka, S. and Ichikawa, Y.
Adrenoferredoxin-binding peptide of NADPH-adrenoferredoxin reductase (953) 207
Handford, P.A., Ner, S.S., Bloxham, D.P. and Wilton, D.C.
Site-directed mutagenesis of citrate synthase; The role of the active-site aspartate in the binding of acetyl-CoA but not oxaloacetate (953) 232
Hartmann, H.-J., see Weser, U. (953) 1
Hartog, A.F., see De Waal, A. (953) 20
Hartog, A.F., see Persson, B. (953) 241
Hayashi, Y., see Usui, T. (953) 179

Hélène, C., see Searcy, D.G. (953) 321
Hofmann, S.H., see Tollersrud, O.K. (953) 353

Ichikawa, Y., see Hamamoto, I. (953) 207
Ishido, Y., see Usui, T. (953) 179
Ishizaka, S., see Miyamoto, Y. (953) 306
Itoh, R., see Oka, J. (953) 114

Janssen, L.H.M., see Bos, O.J.M. (953) 37
Jardetzky, O., see Madrid, M. (953) 61
Johnson, L.A., Moon, K.E. and Eisenberg, M.
Inactivation of chymotrypsin and human skin chymase: kinetics of time-dependent inhibition in the presence of substrate (953) 269
Jones, W.M. and Manning, J.M.
Substrate specificity of an acylaminopeptidase that catalyzes the cleavage of the blocked amino termini of peptides (953) 357
Jonsson, B.-H., see Ren, X. (953) 79

Kaartinen, V. and Mononen, I.
Hemoglobin binding to deglycosylated haptoglobin (953) 345
Kan, J.H., see Driedonks, R.A. (953) 119
Kataoka, M., see Tokutomi, S. (953) 297
Kessi, E., see Carvajal, N. (953) 14
Knaff, D.B., see Gaul, D.F. (953) 226
Kurokohchi, K., see Hamamoto, I. (953) 207
Kurtz, Jr., D.M., see Utecht, R.E. (953) 164

Labeyrie, F., Beloeil, J.-C. and Thomas, M.-A.
Evidence by NMR for mobility of the cytochrome domain within flavocytochrome $b_2$ (953) 134
Lamb, B.J., see Thomas, P.E. (953) 334
Laroui, S., Balduyck, M., Mizon, C., Selloum, L. and Mizon, J.
Plasma proteins immunologically related to inter-$\alpha$-trypsin inhibitor (953) 263
Larsson, H. and Lindberg, U.
The effect of divalent cations on the interaction between calf spleen profilin and different actins (953) 95
Laston, D.J., see Searcy, D.G. (953) 321
Lea, P.J., see Relton, J.M. (953) 48
Lindberg, U., see Larsson, H. (953) 95
Lindskog, S., see Ren, X. (953) 79
Llorens, R., see Richardson, R.M. (953) 70

Madrid, M. and Jardetzky, O.
Comparison of experimentally determined protein structures by solution of Bloch equations (953) 61
Manning, J.M., see Jones, W.M. (953) 357
Mareck, A.M., Bessam, H. and Foucher, B.
*Neurospora crassa* pyruvate dehydrogenase complex: component characterization, catalytic properties and location of translation (953) 289
Martin-Ponthieu, A., see Wouters-Tyrou, D. (953) 86
Masood, R. and Venkitasubramanian, T.A.
Purification and properties of aspartate transcarbamylase from *Mycobacterium smegmatis* (953) 106
Mata-Alvarez, J., see Clapés, P. (953) 157
McCreery, M.J., see Ness, G.C. (953) 361
Millqvist, E., see Ren, X. (953) 79
Mintorovitch, J., see Santucci, R. (953) 201
Miyamoto, Y., Yokoya, A. and Ishizaka, S.
Interaction between cell-binding domain and extracellular matrix-binding domain of fibronectin determined by fluorescence depolarization (953) 306
Mizon, C., see Laroui, S. (953) 263
Mizon, J., see Laroui, S. (953) 263
Mononen, I., see Kaartinen, V. (953) 345
Montenay-Garestier, T., see Searcy, D.G. (953) 321
Moon, K.E., see Johnson, L.A. (953) 269
Müller, F., see Williamson, G. (953) 258

Nakasako, M., see Tokutomi, S. (953) 297
Nanjo, F., see Usui, T. (953) 179
Narise, S., see Arai, K. (953) 6
Ner, S.S., see Handford, P.A. (953) 232
Ness, G.C., Pendleton, L.C. and McCreery, M.J.
In situ determination of the functional size of hepatic 3-hydroxy-3-methylglutaryl-CoA reductase by radiation inactivation analysis (953) 361
Nogués, M.V., see Richardson, R.M. (953) 70

Oka, J., Ozasa, H. and Itoh, R.
A reappraisal of the subunit molecular mass of chicken liver cytosol 5′-nucleotidase (953) 114
Oñaderra, M., see Del Pozo, A.M. (953) 280
Ozasa, H., see Oka, J. (953) 114

Palmer, G., see Gaul, D.F. (953) 226
Parés, X., see Richardson, R.M. (953) 70
Pasta, P., Vecchio, G. and Carrea, G.
Conformation and proteolysis of glucagon and insulin in surfactant and lipid solutions (953) 314
Pendleton, L.C., see Ness, G.C. (953) 361
Permyakov, E.A., see Shnyrov, V.L. (953) 128
Persson, B., Hartog, A.F., Rydström, J. and Berden, J.A.
NBD-Cl modification of essential residues in mitochondrial nicotinamide nucleotide transhydrogenase from bovine heart (953) 241
Petersson, L., see Haavik, J. (953) 142

Reig, F., see Clapés, P. (953) 157
Relton, J.M., Bonner, P.L.R., Wallsgrove, R.M. and Lea, P.J.
Physical and kinetic properties of lysine-sensitive aspartate kinase purified from carrot cell suspension culture (953) 48
Ren, X., Jonsson, B.-H., Millqvist, E. and Lindskog, S.
A comparison of the kinetic properties of native bovine muscle carbonic anhydrase and an activated derivative with modified thiol groups (953) 79
Richard, A., see Wouters-Tyrou, D. (953) 86
Richardson, R.M., Parés, X., Llorens, R., Nogués, M.V. and Cuchillo, C.M.
Nucleotide binding and affinity labelling support the existence of the phosphate-binding subsite $p_2$ in bovine pancreatic ribonuclease A (953) 70

Robinson, J.D., see Davis, R.L. (953) 26
Rydström, J., see Persson, B. (953) 241

Sakai, J., see Tokutomi, S. (953) 297
Sànchez, M., Alvarez, M.A., Balaña, R. and Garrido-Pertierra, A.
Properties and functions of two succinic-semialdehyde dehydrogenases from *Pseudomonas putida* (953) 249
Santucci, R., Mintorovitch, J., Constantinidis, I., Satterlee, J.D. and Ascoli, F.
CD studies on the reversed heme orientation in monomeric *Glycera dibranchiata* hemoglobins (953) 201
Satterlee, J.D., see Santucci, R. (953) 201
Sautière, P., see Wouters-Tyrou, D. (953) 86
Searcy, D.G., Montenay-Garestier, T., Laston, D.J. and Hélène, C.
Tyrosine environment and phosphate binding in the archaebacterial histone-like protein HTa (953) 321
Selloum, L., see Laroui, S. (953) 263
Shaw, D.C., see Board, P.G. (953) 214
Shaw, R.W., see Gaul, D.F. (953) 226
Shnyrov, V.L., Freydina, N.A. and Permyakov, E.A.
Study of pH- and temperature-induced transitions in F-protein (phosphofructokinase) by spectroscopy and microcalorimetry methods (953) 128
Suzuki, T., see Board, P.G. (953) 214

Tanaka, S., see Hamamoto, I. (953) 207
Tasumi, M., see Tokutomi, S. (953) 297
Thomas, M.-A., see Labeyrie, F. (953) 134
Thomas, P.E., Lamb, B.J. and Chu, E.H.Y.
Purification of cytidine-triphosphate synthetase from rat liver, and demonstration of monomer, dimer and tetramer (953) 334
Tokunaga, F., see Tokutomi, S. (953) 297
Tokutomi, S., Kataoka, M., Sakai, J., Nakasako, M., Tokunaga, F., Tasumi, M. and Furuya, M.
Small-angle X-ray scattering studies on the macromolecular structure of the red-light-absorbing form of 121 kDa pea phytochrome and its 114 kDa chromopeptide (953) 297
Tollersrud, O.K., Hofmann, S.H. and Aronson, Jr., N.N.
The turnover of lysosomal glycosylasparaginase in rat liver (953) 353
Tominaga, H., see Arai, K. (953) 6
Torres, J.L., see Clapés, P. (953) 157

Usui, T., Hayashi, Y., Nanjo, F. and Ishido, Y.
Enzymatic synthesis of *p*-nitrophenyl *N,N′,N″,N‴*, *N⁗*-pentaacetyl-*β*-chitopentaoside in water-methanol system; significance as a substrate for lysozyme assay (953) 179
Utecht, R.E. and Kurtz, Jr., D.M.
Cytochrome $b_5$ and NADH–cytochrome-$b_5$ reductase from sipunculan erythrocytes; a methemerythrin reduction system from *Phascolopsis gouldii* (953) 164

Valencia, G., see Clapés, P. (953) 157
Vecchio, G., see Pasta, P. (953) 314
Venkitasubramanian, T.A., see Masood, R. (953) 106

Wallsgrove, R.M., see Relton, J.M. (953) 48
Walters, J.A.L.I., see Driedonks, R.A. (953) 119
Weser, U. and Hartmann, H.-J.
Differently bound copper(I) in yeast $Cu_8$-thionein (953) 1
Williamson, G., Edmondson, D.E. and Müller, F.
Oxidation–reduction potential studies on *p*-hydroxybenzoate hydroxylase from *Pseudomonas fluorescens* (953) 258
Wilting, J., see Bos, O.J.M. (953) 37
Wilton, D.C., see Handford, P.A. (953) 232
Winzor, D.J., see Agapow, P.-M. (953) 197
Wouters-Tyrou, D., Martin-Ponthieu, A., Richard, A. and Sautière, P.
Characterization of the nuclear basic proteins specific of spermiogenesis in cuttlefish, *Sepia officinalis* (953) 86

Yokote, Y., see Arai, K. (953) 6
Yokoya, A., see Miyamoto, Y. (953) 306